

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S55	0	( demultiplex\$4 decompos\$3 DMCU ) NEAR5 ("h." "g." "H.323" "H." "G." MCU MPU MP SIP multipoint\$5) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway")	US-PGPUB; USPAT	OR	ON	2005/10/17 09:45
S56	0	( demultiplex\$4 decompos\$3 DMCU ) NEAR5 ("h." "g." "H.323" "H." "G." MCU MPU MP SIP multipoint\$5) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp)	US-PGPUB; USPAT	OR	ON	2005/10/17 09:45
S57	0	( demultiplex\$4 decompos\$3 DMCU ) NEAR9 ("h." "g." "H.323" "H." "G." MCU MPU MP SIP multipoint\$5) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp)	US-PGPUB; USPAT	OR	ON	2005/10/17 09:46
S58	0	(( demultiplex\$4 decompos\$3 DMCU ) NEAR9 ("h." "g." "H.323" "H." "G." MCU MPU MP SIP multipoint\$5 ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp)	US-PGPUB; USPAT	OR	ON	2005/10/17 09:47
S59	21	(( demultiplex\$4 decompos\$3 DMCU handl\$5) NEAR9 ("h." "g." "H.323" "H." "G." MCU MPU MP SIP multipoint\$5 ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp)	US-PGPUB; USPAT	OR	ON	2005/10/17 09:51
S60	45	(( demultiplex\$4 decompos\$3 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5) NEAR9 ("h." "g." "H.323" "H." "G." MCU MPU MP SIP multipoint\$5 ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp)	US-PGPUB; USPAT	OR	ON	2005/10/17 09:51

S61	15	(( demultiplex\$4 decompos\$3 DMCU handl\$5) NEAR3 ("h." "g." "H.323" "H." "G." MCU MPU MP SIP multipoint\$5 ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp)	US-PGPUB; USPAT	OR	ON	2005/10/17 09:51
S62	39	(( demultiplex\$4 decompos\$3 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5) NEAR3 ("h." "g." "H.323" "H." "G." MCU MPU MP SIP multipoint\$5 ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp)	US-PGPUB; USPAT	OR	ON	2005/10/17 13:26
S63	9	(( demultiplex\$4 decompos\$3 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5) NEAR3 ( MPU MP multipoint\$5 ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp)	US-PGPUB; USPAT	OR	ON	2005/10/17 14:10
S64	9	(( demultiplex\$4 decompos\$3 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5) NEAR3 ( MPU MP multipoint\$5 "H.320" "H.321" "H.324" ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp)	US-PGPUB; USPAT	OR	ON	2005/10/17 14:12
S65	6	(( demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5) NEAR9 ( MPU MP multipoint\$5 "H.320" "H.321" "H.324" ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not S64	US-PGPUB; USPAT	OR	ON	2005/10/17 14:17
S66	6	(( demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band)) NEAR9 ( MPU MP multipoint\$5 "H.320" "H.321" "H.324" ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not S64	US-PGPUB; USPAT	OR	ON	2005/10/17 14:17

S67	9	(( demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 ) NEAR9 ( MPU MP multipoint\$5 multi-point\$5 "H.320" "H.321" "H.324" ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not S64	US-PGPUB; USPAT	OR	ON	2005/10/17 14:19
S68	3	(( demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 ) NEAR9 ( MPU MP multipoint\$5 multi-point\$5 "H.320" "H.321" "H.324" ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S64 S65)	US-PGPUB; USPAT	OR	ON	2005/10/17 15:07
S69	0	(( de-multiplex\$5 de-compos\$5 de-mux\$5 demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 ) NEAR9 ( MPU MP multipoint\$5 multi-point\$5 "H.320" "H.321" "H.324" ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S64 S65 S68)	US-PGPUB; USPAT	OR	ON	2005/10/17 15:36
S70	7	(( de-multiplex\$5 de-compos\$5 de-mux\$5 demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5 ) NEAR9 ( MPU MP multipoint\$5 multi-point\$5 "H.320" "H.321" "H.324" ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S64 S65 S68)	US-PGPUB; USPAT	OR	ON	2005/10/17 15:45

S71	7	(( de-multiplex\$5 de-compos\$5 de-mux\$5 demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 ( MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S64 S65 S68)	US-PGPUB; USPAT	OR	ON	2005/10/17 15:47
S72	37	(( de-multiplex\$5 de-compos\$5 de-mux\$5 demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 ( MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S64 S65 S68)	US-PGPUB; USPAT	OR	ON	2005/10/17 16:00
S73	37	(( de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 ( MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S64 S65 S68)	US-PGPUB; USPAT	OR	ON	2005/10/17 16:08

S74	37	(( de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 ( MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S64 S65 S68)	US-PGPUB; USPAT	OR	ON	2005/10/17 16:27
S75	22	((Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) NEAR9 ( MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" ) ) and @ad<"19991108"	US-PGPUB; USPAT	OR	ON	2005/10/18 08:59
S76	9	(( demultiplex\$4 decompos\$3 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5) NEAR3 ( MPU MP multipoint\$5 "H.320" "H.321" "H.324" ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp)	US-PGPUB; USPAT	OR	ON	2005/10/18 08:59
S77	6	(( demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5) NEAR9 ( MPU MP multipoint\$5 "H.320" "H.321" "H.324" ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not S76	US-PGPUB; USPAT	OR	ON	2005/10/18 08:59
S78	3	(( demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 ) NEAR9 ( MPU MP multipoint\$5 multi-point\$5 "H.320" "H.321" "H.324" ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S76 S77)	US-PGPUB; USPAT	OR	ON	2005/10/18 08:59

S79	37	(( de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 ( MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S76 S77 S78)	US-PGPUB; USPAT	OR	ON	2005/10/18 09:26
S80	22	(( (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) NEAR9 ( MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" ) ) and @ad<"19991108"	US-PGPUB; USPAT	OR	ON	2005/10/18 08:59
S81	9	S80 and S79	US-PGPUB; USPAT	OR	ON	2005/10/18 09:01
S82	11	(( de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 ( MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" sip) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S76 S77 S78 S79)	US-PGPUB; USPAT	OR	ON	2005/10/18 09:28

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S83	45	(process\$4 or separat\$3 or divid\$3 or split\$4 or division or demultiplex\$4 or decompos\$3 or DMCU ) NEAR5 ("h." or "g." or "H.323" or "H." or "G." or MCU or MPU or MP or SIP) and @ad<"19991108" and (Megaco or "h.248" or "H.248" or "gateway control" or "media gateway" or MGCP)	US-PGPUB; USPAT	OR	ON	2005/10/18 10:57
S84	45	(process\$4 or separat\$3 or divid\$3 or split\$4 or division or demultiplex\$4 or decompos\$3 or DMCU ) NEAR5 ("h." or "g." or "H.323" or "H." or "G." or MCU or MPU or MP or SIP) and @ad<"19991108" and (Megaco or "h.248" or "H.248" or "gateway control" or "media gateway" or MGCP)	US-PGPUB; USPAT	OR	ON	2005/10/18 11:45
S85	0	(process\$4 or separat\$3 or divid\$3 or split\$4 or division or demultiplex\$4 or decompos\$3 or DMCU ) NEAR5 ("h." or "g." or "H.323" or "H." or "G." or MCU or MPU or MP or SIP) and @ad<"19991108" and (Megaco or "h.248" or "H.248" or "gateway control" or "media gateway" or MGCP) not S84	US-PGPUB; USPAT	OR	ON	2005/10/18 10:57
S86	66	(process\$4 or separat\$3 or divid\$3 or split\$4 or division or demultiplex\$4 or decompos\$3 or DMCU ) NEAR5 ("h." or "g." or "H.323" or "H." or "G." or MCU or MPU or MP or SIP) and @ad<"20001108" and (Megaco or "h.248" or "H.248" or "gateway control" or "media gateway" or MGCP)	US-PGPUB; USPAT	OR	ON	2005/10/18 11:45
S87	9	(( demultiplex\$4 decompos\$3 DMCU hand\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5) NEAR3 ( MPU MP multipoint\$5 "H.320" "H.321" "H.324" ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp)	US-PGPUB; USPAT	OR	ON	2005/10/18 11:46

S88	6	(( demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5) NEAR9 ( MPU MP multipoint\$5 "H.320" "H.321" "H.324" ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not S87	US-PGPUB; USPAT	OR	ON	2005/10/18 11:46
S89	3	(( demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 ) NEAR9 ( MPU MP multipoint\$5 multi-point\$5 "H.320" "H.321" "H.324" ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S87 S88)	US-PGPUB; USPAT	OR	ON	2005/10/18 11:46
S90	37	(( de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 ( MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" ) ) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S87 S88 S89)	US-PGPUB; USPAT	OR	ON	2005/10/18 11:46
S91	53	(( de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 ( MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" (sip) ) ) and @ad<"20001108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S87 S88 S89 S90)	US-PGPUB; USPAT	OR	ON	2005/10/18 11:54

S92	195	(( de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 ( MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" sip ) and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) and (\$4multiplex\$5 \$2mux )	US-PGPUB; USPAT	OR	ON	2005/10/18 11:56
S93	0	(( de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 ( MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" sip ) and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) and (( \$4multiplex\$5 \$2mux \$3compos\$5) near9 (MP MPU)) and @ad<"20001108"	US-PGPUB; USPAT	OR	ON	2005/10/18 11:58
S94	1	(( de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 ( MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" sip ) and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) and (( \$4multiplex\$5 \$2mux \$3compos\$5) near9 (multipoint multi-point (multi adj point))) and @ad<"20001108"	US-PGPUB; USPAT	OR	ON	2005/10/18 12:01

S95	44	(( de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) same ( MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" sip ) and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) and @ad<"20001108" and "709".clas.	US-PGPUB; USPAT	OR	ON	2005/10/18 12:02
S96	29	(( de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) near9 ( MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" sip ) and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) and @ad<"20001108" and "709".clas.	US-PGPUB; USPAT	OR	ON	2005/10/18 12:06
S97	11	(( de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) and ( MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" sip ) and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) and @ad<"20001108" and 709/227. ccls.	US-PGPUB; USPAT	OR	ON	2005/10/18 12:06